

Excursions in West Virginia Botany

Vol. 1 No. 1



November 2013

An occasional publication of the West Virginia Native Plant Society



HERBACEOUS FLORA OF EAST LYNN WMA

EAST LYNN, WEST VIRGINIA

A Study by Romie Hughart¹ and Richard Thompson

The East Lynn Wildlife Management Area (WMA) is located in the southeastern portion of Wayne County, WV. It includes 1005 acres of surface water and 24,821 acres of land. The lake is a multipurpose flood control facility operated by the US Army Corps of Engineers. Construction of the outlet works was completed in 1968, the dam was completed in 1971 and the pooling began in 1971. The East Fork of Twelve Pole Creek was dammed 52 miles south of its confluence with the Ohio River to create the lake. The elevation of the WMA ranges from 495 to 1,650 feet above mean sea level.

The WMA objectives include: protecting wildlife, and providing opportunities for camping, fishing, hiking, boating and riding all-terrain vehicles.

Wayne County, WV was initially settled near the current town of Fort Gay by Samuel Short in 1796. The area near East Lynn, then called Twin Creek, was first settled in 1802 by James Bias. Development of small coal mines occurred in the mid 1800's and remnants of this activity can still be found within the WMA. Timbering and small farms historically dominated southeastern Wayne County.

The WMA is currently forested. Although there are many tree species, the dominant tree species are: *Liriodendron tulipifera* (tulip tree, poplar), *Acer saccharum* (sugar maple), various species of *Carya* (hickory), and *Quercus* (oak). There are occasional patches of *Pinus virginiana* (Virginia pine) and *Tsuga canadensis* (hemlock)

1. Author for correspondence Romie Hughart rch25704@yahoo.com

The bedrock is primarily composed of sedimentary rocks, sandstone and shale, which date, geologically, from the Pennsylvanian period. Three series are present; the Conemaugh, Allegheny and Pottsville. These are conformable with no faulting. The soils, as surveyed by the U. S. Soil Conservation service are the "Gilpin-Upshur series." The soils have a fairly high clay or silt content.

Climatic data is collected daily at the office of the East Lynn WMA. Data recorded from 2005 through 2007 were used to determine the average temperature and precipitation. Average yearly high temperature was 21°C (70°F). The two warmest months were July and August with an average high temperature of 31°C (87°). The average yearly low temperature was 7°C (44°). Average monthly precipitation for the three-year period was 9.6 cm (3.78 inches).

Our study began in 2000 and was completed in 2011. During this time thirteen different sites were surveyed. Our surveys would normally begin in late March. If a site was heavily forested, the site would be abandoned at the end of May. Another open area site would be used for summer and fall flower study. This would usually begin in June and end in early September.

Each site was visited every two weeks. This schedule meant that documentation would be made only when species were in bloom. Wildflower documentation was limited to blooming plants. Identification utilized five different field guides: K. Yatskievych *Field Guide to Indiana Wild Flowers*, P. D. Strausbaugh and E. Core *Flora of West Virginia*, L. Newcomb *Newcomb's Wildflower Guide*, R.

T. Peterson and M. McKenny *A Field Guide to Wildflowers*, and Horn, Cathcart, Hemmerly and Duhl *Wildflowers of Tennessee and the Ohio Valley and the Southern Appalachians*. A few plant identifications were done by Bill Grafton (deceased) and Donna Ford (WVU).

A total of 313 species of herbaceous wildflowers was recorded. This consisted of 189 genera representing 59 plant families. A list of recorded wildflowers for Wayne County was provided by Dr. Donna Ford. If a wildflower was not included in this county list, a specimen was collected, pressed and sent to the WVU herbarium. Specimens of One hundred thirty three previously undocumented species for Wayne County WV were thus deposited. *Packera glabella* had not been previously recorded in West Virginia.

One fern, *Trichomanes boschianum* (filmy fern), was also submitted to the herbarium.

All nomenclature follows that used in: . Harmon, P. J., D. Ford-Werntz, W. Grafton,. 2006 *Checklist and Atlas of the Vascular Flora of West Virginia*. West Virginia Division of Natural Resources, Wildlife Resources Section, Elkins WV. 381 p.

The authors wish to thank Mike Smith, director at the East Lynn WMA, for permitting us to perform this wildflower study. During the early spring we would discuss our findings of the previous year's study with him. He always showed great interest in our results. He wanted to know of any rare species and if anything needed to be done for their protection. We would also like to thank rangers Jay Davis and David Scragg for their help. All three at some time accompanied us on our trips.

SPECIES LIST

This list of the herbaceous flora of the East Lynn Wildlife Management Area contains 313 species in 189 genera from 59 families. The two largest families are the Asteraceae with 23% of the total and the Lamiaceae with 7%; the Orchidaceae are not far behind with 5% of the species found. 133 species not recorded for Wayne County WV in the *Checklist and Atlas of the Vascular Flora of West Virginia* are indicated by an * after the species name (vouchers of these species were deposited in the West Virginia University Herbarium).

MAGNOLIOPSIDA

Acanthaceae

<i>Justicia americana</i> (L.) Vahl.	Water Willow
<i>Ruellia caroliniensis</i> (J.F. Gmel.) Steud.*	Wild Petunia
<i>R. caroliniensis</i> (white flowered)	White Wild Petunia

Apiaceae

<i>Angelica venenosa</i> (Greenway) Fern.	Hairy Angelica
<i>Cicuta maculata</i> L. *	Water Hemlock
<i>Cryptotaenia canadensis</i> (L.) DC.	Honewort
<i>Daucus carota</i> L.	Queen Ann's Lace
<i>Osmorhiza claytonii</i> (Michx.) C. B. Clarke	Hairy Sweet Cicely
<i>Thaspium barbinode</i> (Michx.) Nutt.	Jointed Meadow-parsnip
<i>Zizia aurea</i> (L.) W.D. J. Koch	Golden Alexanders
<i>Z. trifoliata</i> (Michx.) Fern.	Mountain Golden Alexanders

Apocynaceae

<i>Apocynum cannabinum</i> L.	Indian Hemp
<i>A. x floribundum</i> Greene *	Intermediate Dogbane
<i>Vinca minor</i> L.	Periwinkle, Myrtle

Araliaceae

<i>Panax quinquefolius</i> L. *	Ginseng
---------------------------------	---------

Aristolochiaceae

<i>Asarum canadense</i> L.	Wild Ginger
----------------------------	-------------

Asclepiadaceae

<i>Asclepias incarnata</i> L. ssp. <i>pulchra</i> (Ehrh. ex Willd.) Woods.	Swamp Milkweed
<i>A. quadrifolia</i> Jacq.	Four-leaved Milkweed
<i>A. syriaca</i> L.	Common Milkweed
<i>A. tuberosa</i> L.	Butterfly Weed
<i>A. variegata</i> L.	White Milkweed
<i>Matelea obliqua</i> (Jacq.) Woods.	Angle-pod

Asteraceae

<i>Achillea millefolium</i> L. var. <i>occidentalis</i> DC.	Yarrow
<i>Ageratina altissima</i> (L.) King & H. E. Robins *	White Snakeroot
<i>Antennaria plantaginifolia</i> (L.) Richards	Plantainleaf Pussytoes
<i>A. solitaria</i> Rydb.	Single-headed Pussytoes
<i>Arnoglossum atriplicifolium</i> H. E. Robins. *	Pale Indian Plantain
<i>A. muehlenbergii</i> (Sch. Bip.) H. E. Robins.	Great Indian Plantain
<i>Bidens coronata</i> (L.) Britt. *	Tick Sunflower

<i>Centaurea biebersteinii</i> DC.	Spotted Knapweed
<i>Chrysopsis mariana</i> (L.) Ell.	Golden Aster
<i>Cirsium altissimum</i> (L.) Hill. *	Tall Thistle
<i>C. discolor</i> (Muhl. ex Willd.) Spreng.	Field Thistle
<i>C. vulgare</i> (Savi) Ten. *	Common Thistle
<i>Conoclinium coelestinum</i> (L.) DC.	Mistflower
<i>Coreopsis lanceolata</i> L. *	Lance-leaved Tickseed
<i>C. major</i> Walt.	Wood Tickseed
<i>C. tripteris</i> L.	Tall Coreopsis
<i>Crepis capillaris</i> (L.) Wallr. *	Smooth Hawksbeard
<i>Doellingeria infirma</i> (Michx.) Greene *	White Aster
<i>D. umbellata</i> (D. Mill.) Nees	Flat-top White Aster
<i>Eclipta prostrata</i> (L.) L. *	Herb of Stumps
<i>Elephantopus carolinianus</i> Willd.	Elephant's Foot
<i>Erechtites hieraciifolia</i> (L.) Raf. ex. DC. *	Pilewort
<i>Erigeron annuus</i> (L.) Pers.	White-top
<i>E. philadelphicus</i> L.	Philadelphia Fleabane
<i>E. strigosus</i> Muhl.	Daisy Fleabane
<i>Eupatorium album</i> L.	White Thoroughwort
<i>E. fistulosum</i> Barratt *	Joe-pye-weed
<i>E. pilosum</i> Walt.	Vervain Thoroughwort
<i>E. rotundifolium</i> L. var. <i>ovatum</i> (Bigelow) Torr. *	Hairy Thoroughwort
<i>E. serotinum</i> Michx.	Late Flowering Thoroughwort
<i>Eurybia divaricata</i> (L.) Nesom *	White Wood Aster
<i>Euthamia graminifolia</i> (L.) Nutt.	Grass-leaved Goldenrod
<i>Gamochaeta purpurea</i> (L.) Cabrera	Purplish Cudweed
<i>Helianthus decapetalus</i> L. *	Thin Leaved Sunflower
<i>H. divaricatus</i> L.	Woodland Sunflower
<i>H. hirsutus</i> Raf. *	Hirsute sunflower
<i>H. microcephalus</i> Torr. & Gray *	Small-headed Sunflower
<i>H. strumosus</i> L. *	Pale-leaved Sunflower
<i>H. tuberosus</i> L.	Jerusalem Artichoke
<i>Hieracium caespitosum</i> Dumort.	Field Hawkweed
<i>H. gronovii</i> L.	Hairy Hawkweed
<i>H. venosum</i> L.	Rattlesnake-weed
<i>H. x floribundum</i> Wimm. & Grab. *	Smooth Hawkweed
<i>Krigia biflora</i> (Walt.) Blake	Cynthia
<i>Lactuca canadensis</i> L.	Wild Lettuce
<i>L. floridana</i> (L.) Gaertn. var. <i>floridana</i>	Florida Blue Lettuce
<i>L. floridana</i> (L.) Gaertn. var. <i>villosa</i> (Jacq.) Cronq. *	Florida Blue Lettuce
<i>Leucanthemum vulgare</i> Lam. *	Ox-eye Daisy
<i>Packera anonyma</i> (Wood)	Small's Ragwort
<i>P. aurea</i> (L.) A. & D. Love	Golden Ragwort
<i>P. glabella</i> (Poir.) C. Jeffrey *	Cress-leaf Groundsel
<i>P. obovata</i> (Muhl. ex Willd.) W.A. Weber & A. Love	Round-leaf Groundsel
<i>P. paupercula</i> (Michx.) A. & D. Love	Balsam Groundsel
<i>Prenanthes alba</i> L. *	White Lettuce

Asteraceae continued

<i>P. serpentaria</i> Pursh. *	Gall-of-the-earth
<i>Pseudognaphalium obtusifolium</i> (L.) Hillard & Burtt.	Old Field Balsam
<i>Rudbeckia hirta</i> L.	Black-eyed Susan
<i>R. laciniata</i> L.	Tall Coneflower
<i>Sericocarpus asteroides</i> (L.) B.S.P. *	Toothed White-topped Aster
<i>Silphium trifoliatum</i> L.	Whorled Rosinweed
<i>Smallanthus uvedalia</i> (L.) Mackenzie ex Small *	Yellow-flowered Leaf Cup
<i>Solidago caesia</i> L.	Wreath Goldenrod
<i>S. gigantea</i> Ait.	Late Goldenrod
<i>S. nemoralis</i> Ait.	Old Field Goldenrod
<i>S. puberula</i> Nutt.	Downy Goldenrod
<i>Symphyotrichum lanceolatum</i> (Willd.) Nesom *	Panicled Aster
<i>S. patens</i> (Ait.) Nesom	Late Purple Aster
<i>Tussilago farfara</i> L.	Coltsfoot
<i>Verbesina alternifolia</i> (L.) Britt. ex Kearney *	Wing-stem
<i>V. occidentalis</i> (L.) Walt.	Small Yellow Crownbeard
<i>Vernonia gigantea</i> (Walt.) Trel.	Tall Ironweed

Balsamineceae

<i>Impatiens capensis</i> Meerb.	Spotted Jewelweed
<i>I. pallida</i> Nutt.	Pale Jewelweed

Berberidaceae

<i>Caulophyllum thalictroides</i> (L.) Michx.	Blue Cohosh
<i>Podophyllum peltatum</i> L. *	May-apple

Bignoniaceae (woody vines)

<i>Bignonia capreolata</i> L.*	Crossvine
<i>Campsis radicans</i> (L.) Seeman ex Bureau	Trumpet creeper

Boraginaceae

<i>Cynoglossum virginianum</i> L.	Wild Comfrey
<i>Myosotis verna</i> Nutt. *	Spring Scorpion-grass

Brassicaceae

<i>Arabis glabra</i> (L.) Bernh. *	Tower Mustard
<i>A. laevigata</i> (Muhl. ex. Willd.) Poir. var. <i>burkii</i> Porter	Smooth Rock Cress
<i>Barbarea vulgaris</i> Ait. f.	Winter Cress
<i>Cardamine angustata</i> O. E. Schulz	Slender Toothwort
<i>C. diphylla</i> (Michx.) Wood	Two-leaved Toothwort
<i>C. concatenata</i> (Michx.) O. Schwarz	Cutleaf Toothwort
<i>Hesperis matronalis</i> L. *	Dame's Rocket

Campanulaceae

<i>Campanulastrum americanum</i> (L.) Small	Tall Bellflower
<i>Lobelia cardinalis</i> L.	Cardinal-flower
<i>L. inflata</i> L.	Indian Tobacco
<i>L. puberula</i> Michx. *	Downy Lobelia
<i>L. siphilitica</i> L.	Great Blue Lobelia
<i>L. spicata</i> Lam. var. <i>leptostachys</i> (A. DC.) Mackenzie & Bush	Spiked Lobelia
<i>Triodanis perfoliata</i> (L.) Nieuwl. *	Venus' Looking Glass

Caprifoliaceae

<i>Lonicera japonica</i> Thunb.	Japanese Honeysuckle
<i>Triosteum aurantiacum</i> Bickn.	Horse-gentian

Caryophyllaceae

<i>Dianthus armeria</i> L. *	Deptford Pink
<i>Silene stellata</i> (L.) Ait. f.	Starry Campion
<i>S. virginica</i> L.	Fire Pink

Caryophyllaceae continued

<i>Stellaria corei</i> Shinners	Tennessee Chickweed
<i>S. graminea</i> L.	Lesser Stitchwort
<i>S. media</i> (L.) Vill.	Common Chickweed
<i>S. pubera</i> Michx.	Great Chickweed

Clusiaceae

<i>Hypericum hypericoides</i> (L.) Crantz	St. Andrew's Cross
<i>H. muticum</i> L.	Small-Flowered St. John's-wort
<i>H. perforatum</i> L. *	Common St. John's-wort

Convolvulaceae

<i>Calystegia sepium</i> (L.) R. Br. ssp. <i>americana</i> (Sims)	Hedge Bindweed
<i>Ipomoea coccinea</i> L.	Red Morning-glory
<i>I. hederacea</i> Jacq.	Ivy-leaved Morning-glory
<i>I. lacunosa</i> L.	Small-flowered Morning-glory
<i>I. pandurata</i> (L.) G. F. W. Mey.	Wild Potato Vine

Crassulaceae

<i>Penthorum sedoides</i> L. *	Ditch Stonecrop
<i>Sedum ternatum</i> Michx.	Wild Stonecrop

Cuscutaceae

<i>Cuscuta gronovii</i> Willd. ex J. A. Schultes *	Common Dodder
--	---------------

Ericaceae

<i>Epigaea repens</i> L.	Trailing Arbutus
<i>Gaultheria procumbens</i> L.	Teaberry

Euphorbiaceae

<i>Euphorbia corollata</i> L.	Flowering Spurge
-------------------------------	------------------

Fabaceae

<i>Amphicarpea bracteata</i> (L.) Fern. *	Hog-peanut
<i>Apios americana</i> Medik.	Groundnut
<i>Chamaecrista nictitans</i> (L.) Moench *	Wild Sensitive Plant
<i>Clitoria mariana</i> L.	Butterflypea
<i>Desmodium marilandicum</i> (L.) DC.	Smooth Small-leaved Tick-trefoil
<i>D. nudiflorum</i> (L.) DC.	Naked-flowered Tick-trefoil
<i>D. paniculatum</i> (L.) D	Panicled-leaf Tick-trefoil
<i>Lotus corniculatus</i> L.	Birdsfoot Trefoil
<i>Senna marilandica</i> (L.) Link	Wild Senna
<i>Strophostyles helvula</i> (L.) Ell.	Trailing Wild Bean
<i>Tephrosia virginiana</i> (L.) Pers.	Goat's Rue
<i>Vicia caroliniana</i> Walt.	Wild Vetch

Fumariaceae

<i>Corydalis flavula</i> (Raf.) DC.	Yellow Corydalis
-------------------------------------	------------------

Gentianaceae

<i>Gentiana villosa</i> L.	Sampson's Snakeroot
<i>Obolaria virginica</i> L.	Pennywort
<i>Sabatia angularis</i> (L.) Pursh	Rose Pink

Geraniaceae

<i>Geranium maculatum</i> L.	Wild Geranium
<i>G. pusillum</i> L. *	Small-flowered Cranesbill

Lamiaceae

<i>Clinopodium vulgare</i> L. *	Field Basil
<i>Cunila origanoides</i> (L.) Britt.	Dittany
<i>Lycopus americanus</i> Muhl ex W. Bart. *	Water Horehound
<i>L. virginicus</i> L.	Bugleweed
<i>Meehania cordata</i> (Nutt.) Britt.	Meehania

Lamiaceae continued	
<i>Monarda clinopodia</i> L.	Basil Balm
<i>M. didyma</i> L.	Bee Balm
<i>M. fistulosa</i> L.	Wild Bergamont
<i>M. media</i> Willd. *	Purple Bergamont
<i>Perilla frutescens</i> (L.) Britt.	Beefsteak Plant
<i>P. frutescens</i> var. <i>crispa</i> W. Deane *	Beefsteak Plant
<i>Prunella vulgaris</i> L.	Selfheal
<i>Pycnanthemum incanum</i> (L.) Michx. *	
	Hoary Mountain-mint
<i>P. tenuifolium</i> Schrad. *	Narrowleaf Mountain-mint
<i>P. verticillatum</i> (Michx.) Pers. var. <i>pilosum</i> (Nutt.)	
Cooperrieder	Hairy Mountain-mint
<i>Salvia lyrata</i> L.	Lyre-Leaved Sage
<i>Scutellaria elliptica</i> Muhl.	Hairy Skullcap
<i>S. incana</i> Biebler	Downy Skullcap
<i>S. nervosa</i> Pursh	Veined Skullcap
<i>S. serrata</i> Andr. *	Showy Skullcap
<i>Stachys nuttallii</i> Schuttlew. ex. Benth.	
	Nuttall's Hedge-Nettle
<i>Teucrium canadense</i> L.	American Germander
<i>Trichostema dichotomum</i> L.	Blue Curls
Linaceae	
<i>Linum virginianum</i> L.	Virginia Yellow Flax
Lythraceae	
<i>Cuphea viscosissima</i> Jacq.	Tarweed
Malvaceae	
<i>Hibiscus moscheutos</i> L. spp. <i>moscheutos</i> *	
	Swamp Rose Mallow (white)
<i>H. moscheutos</i> L. spp. <i>palustris</i> *	Mallow (pink)
Monotropaceae	
<i>Monotropa hypopithys</i> L.	Pinesap
<i>M. uniflora</i> L.	Indian Pipe
Onagraceae	
<i>Circaeа lutetiana</i> L. spp. <i>canadensis</i> (L.) Aschers. & Magnus	Enchanter's-nightshade
<i>Ludwigia alternifolia</i> L.*	Seedbox
<i>Oenothera biennis</i> L. *	Common Evening-primrose
Orobanchaceae	
<i>Conopholis americana</i> (L.) Wallr. f.	Cancerroot
<i>Epifagus virginiana</i> (L.) Bart.	Beechdrops
Oxalidaceae	
<i>Oxalis stricta</i> L.	Yellow Wood Sorrel
<i>O. violacea</i> L.	Violet Wood Sorrel
Papaveraceae	
<i>Sanguinaria canadensis</i> L.	Bloodroot
Phytolaccaceae	
<i>Phytolacca americana</i> L.	Pokeweed
Polemoniaceae	
<i>Phlox divaricata</i> L.	Wild Blue Phlox
<i>P. glaberrima</i> L. spp. <i>triflora</i> (Michx.) Wherry	Wherry
	Smooth Phlox
Polemoniaceae continued	
	<i>Polemonium reptans</i> L.
	Greek Valerian
Polygalaceae	
	<i>Polygala sanguinea</i> L.
	Rose Polygala
	<i>P. senega</i> L. *
	Seneca Snakeroot
Polygonaceae	
	<i>Fagopyrum esculentum</i> Moench *
	Buckwheat
	<i>Polygonum convolvulus</i> L. *
	Black Bindweed
	<i>P. cuspidatum</i> Sieb. & Zucc.
	Japanese Knotweed
Portulacaceae	
	<i>Claytonia caroliniana</i> Michx.
	Carolina Spring Beauty
	<i>C. virginica</i> L.
	Spring Beauty
Primulaceae	
	<i>Anagallis arvensis</i> L. *
	Common Pimpernel
	<i>Lysimachia japonica</i> Thunb. *
	Japanese Loosestrife
	<i>L. nummularia</i> L.
	Moneywort
	<i>L. quadriflora</i> Sims
	Four-flowered Loosestrife
Pyrolaceae	
	<i>Chimaphila maculata</i> (L.) Gray
	Spotted Wintergreen
Ranunculaceae	
	<i>Actaea racemosa</i> L.
	Black Snakeroot
	<i>Anemone quinquefolia</i> L.
	Wood Anemone
	<i>A. virginiana</i> L.
	Thimbleweed
	<i>Clematis viorna</i> L.
	Leatherflower
	<i>C. virginiana</i> L.
	Virgin's Bower
	<i>Enemion biternatum</i> Raf.
	False Rue Anemone
	<i>Hepatica nobilis</i> P. Mill. var. <i>acuta</i> (Pursh) Steyermark
	Sharp-lobed Hepatica
	<i>H. nobilis</i> P. Mill. var. <i>obtusa</i> (Pursh) Steyermark *
	Round-lobed Hepatica
	<i>Hydrastis canadensis</i> L.
	Goldenseal
	<i>Ranunculus abortivus</i> L.
	Kidneyleaf Crowfoot
	<i>R. fascicularis</i> Muhl. ex Bigelow
	Thickroot Crowfoot
	<i>R. hispida</i> Michx. *
	Hispid Buttercup
	<i>R. recurvatus</i> Poir.
	Hooked Crowfoot
	<i>Thalictrum dioicum</i> L.
	Early Meadowrue
	<i>T. pubescens</i> Pursh *
	Tall Meadowrue
	<i>T. thalictroides</i> (L.) Eames & Boivin *
	Rue Anemone
Rosaceae	
	<i>Agrimonia gryposepala</i> Wallr.
	Tall Agrimony
	<i>A. parviflora</i> Ait. *
	Small-flowered Agrimony
	<i>Geum aleppicum</i> Jacq.
	Yellow Avens
	<i>G. canadense</i> Jacq.
	White Avens
	<i>G. virginianum</i> L.
	Rough Avens
	<i>Porteranthus stipulatus</i> (Muhl. ex Willd.) Britt.
	American Ipecac
	<i>Potentilla recta</i> L.
	Upright Cinquefoil
	<i>Rosa blanda</i> Ait.
	Smooth Rose (woody shrub)
	<i>R. carolina</i> L.
	Pasture Rose (woody shrub)
Rubiaceae	
	<i>Diodia teres</i> Walt. *
	Rough Buttonweed
	<i>D. virginiana</i> L.
	Larger Buttonweed
	<i>Houstonia caerulea</i> L.
	Bluets

Rubiaceae continued			
<i>H. longifolia</i> Gaertn. *	Summer Bluets	<i>D. villosa</i> L. *	Four-leaved Wild Yam
<i>Mitchella repens</i> L.	Partridge Berry		Wild Yam
Saxifragaceae			
<i>Heuchera americana</i> L.	Alumroot		
<i>Tiarella cordifolia</i> L.	Foamflower		
Scrophulariaceae			
<i>Aureolaria flava</i> (L.) Farw. *	Smooth Yellow Foxglove		
<i>A.virginica</i> (L.) Pennell	Downy Yellow Foxglove		
<i>Mimulus alatus</i> Ait.	Winged Monkey Flower		
<i>M. ringens</i> L.	Common Monkey Flower		
<i>Pedicularis canadensis</i> L	Wood Betony		
<i>Penstemon canescens</i> (Britt.) Britt.	Gray Beardtongue		
<i>P. digitalis</i> Nutt. ex. Sims	Foxglove Beardtongue		
<i>Verbascum phlomoides</i> L. *	Clasping-leaved Mullein		
<i>V. thapsus</i> L.	Great Mullein		
<i>Veronica officinalis</i> L.	Common Speedwell		
Solanaceae			
<i>Physalis pubescens</i> L. *	Downy Ground-cherry		
<i>Solanum carolinense</i> L.	Horse Nettle		
<i>S. ptychanthum</i> Dunal	Eastern Black Nightshade		
Verbenaceae			
<i>Verbena urticifolia</i> L.	White Vervain		
Violaceae			
<i>Violet bicolor</i> Pursh *	Wild Pansy		
<i>V. blanda</i> Willd.	Sweet White Violet		
<i>V. cucullata</i> Ait.	Marsh Blue Violet		
<i>V. macloskeyi</i> Lloyd ssp. <i>pallens</i> (Banks ex DC.) M. S. Baker *	Northern White Violet		
<i>V. pubescens</i> Ait. *	Smooth Yellow Violet		
<i>V. rostrata</i> Pursh	Long-spurred Violet		
<i>V. rotundifolia</i> Michx.	Roundleaf Violet		
<i>V. sororia</i> Wild.	Common Blue Violet		
<i>V. striata</i> Ait.	Striped Violet		
<i>V. triloba</i> Schwein	Three-lobed Violet		
<i>V. x palmata</i> L.	Palmate-leaved Violet		
Hybrid violet			
LILIOPSIDA			
Agavaceae			
<i>Yucca filamentosa</i> L.	Adam's Needle		
Alismataceae			
<i>Alisma subcordatum</i> Raf.	Common Water Plantain		
<i>Sagittaria latifolia</i> Willd. *	Duck-potato, Wapato		
Araceae			
<i>Arisaema dracontium</i> (L.) Schott *	Green Dragon		
<i>A. triphyllum</i> (L.) Schott	Jack-in-the-pulpit		
Commelinaceae			
<i>Commelina communis</i> L. *	Asiatic Day-flower		
<i>Tradescantia virginiana</i> L.	Virginia Spiderwort		
Dioscoreaceae			
<i>Dioscorea quaternata</i> (Walt.) J. F. Gmel.			
Iridaceae			
<i>Iris cristata</i> Ait. *	Dwarf Crested Iris		
<i>I. cristata</i> Ait. (white flowered)	White Dwarf Crested Iris		
<i>Sisyrinchium angustifolium</i> P. Mill.	Blue-eyed Grass		
Liliaceae			
<i>Clintonia umbellulata</i> (Michx.) Morong*	White Clintonia		
<i>Erythronium americanum</i> Ker. *	Yellow Trout Lily		
<i>Hemerocallis fulva</i> (L.) L. *	Orange Day Lily		
<i>Hypoxis hirsuta</i> (L.) Coville *	Yellow Stargrass		
<i>Maianthemum canadense</i> (L.) Link *			
	False Solomon's Seal		
<i>Medeola virginiana</i> L. *	Indian Cucumber Root		
<i>Polygonatum biflorum</i> (Walt.) Ell.	King Solomon's Seal		
<i>Prosartes lanuginosa</i> (Michx.) D. Don *			
	Yellow Fairybells		
<i>Trillium erectum</i> L. *	Red Trillium		
<i>T. erectum</i> L. var. <i>album</i> (Michx.) Pursh	Wake Robin		
<i>T. grandiflorum</i> (Michx.) Salisb. *			
	Large-flowered Trillium		
<i>T. sulcatum</i> Patrick	Southern Red Trillium		
<i>Uvularia grandiflora</i> Sm.	Large-flowered Bellwort		
<i>U. perfoliata</i> L.	Mealy Bellwort		
Orchidaceae			
<i>Aplectrum hyemale</i> (Muhl. ex Willd.) Torr. *	Puttyroot		
<i>Corallorrhiza odontorhiza</i> (Willd.) Nutt.			
	Autumn coralroot		
<i>Cypripedium acaule</i> Ait.	Pink Lady's Slipper		
<i>C. parviflorum</i> Salisb. var. <i>pubescens</i> (Willd.) Knight *			
	Large Yellow Lady's Slipper		
<i>Galearis spectabilis</i> (L.) Raf.	Showy Orchis		
<i>Goodyera pubescens</i> (Willd.) R. Br. ex Ait. f. *			
	Downy Rattlesnake Plantain		
<i>Hexalectris spicata</i> (Walt.) Barnh	Crested Coralroot		
<i>Isotria verticillata</i> Raf.	Whorled Pogonia		
<i>Liparis liliifolia</i> (L.) L.C. Rich. ex Ker-Gawl.			
	Lily-leaved Twayblade		
<i>L. loeselii</i> (L.) L.C. Rich. *	Loesel's Twayblade		
<i>Platanthera clavellata</i> (Michx.) Luer			
	Small Green Wood Orchid		
<i>P. flava</i> (L.) Lindl. *	Pale Green Orchid		
<i>Spiranthes cernua</i> (L.) Richard*	Nodding Ladies' Tresses		
<i>S. lacera</i> (Raf.) var. <i>gracilis</i> (Bigelow) Luer *			
	Slender Ladies' Tresses		
<i>S. lacera</i> (Raf.) Raf. var. <i>lacera</i> *			
	Northern Ladies' Tresses		
<i>S. tuberosa</i> Raf. *	Little Ladies' Tresses		
<i>S. vernalis</i> Engelm. & Gray*	Spring Ladies' Tresses		
<i>Tipularia discolor</i> (Pursh) Nutt. *	Cranefly Orchid		
Smilaceae			
<i>Smilax herbacea</i> L. *			
	Carrion Flower		
POLYPODIOPHYTA			
Hymenophyllaceae			
<i>Trichomanes boschianum</i> Sturm	Filmy Fern		